Companies Inc. P.O. BOX 919 SALEM, UTAH 84653

Task: 4157

5/009/000%

WRIGHT MASONRY & SONS

P.O. BOX 1246 SALEM, UTAH 84653 PHONE# (801) 423-2363 FAX# (801) 423-2866

5/19/11

State of Utah Department of Natural Resources Division of Oil Gas and Mining 1594 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

ATTN: Leslie Heppler

RE: Revised NOI for Manila Stone Quarry, S/009/006, Dagget County, UT

Hello Leslie,

While working on the permits for our stone quarry in Manila, it became apparent to us that our sister company, Wright Masonry & Sons Inc., is able to meet the bonding and insurance requirements for our DOGM and UDOT permits faster, cheaper, and easier than LGL Companies. So in the interest of saving time and money will you please change the name on our DOGM permit application from LGL Companies to Wright Masonry and Sons? I have included a revised MR-SMO with Wright Masonry and Sons listed as the permitee. I have also included a copy of the cultural resources survey, and a copy of the Designation of Operator letter that we sent to SITLA. Within the next few weeks I plan to send you a copy of our UDOT encroachment permit, our surety bond, and our MR-RC.

Please contact me with anything else that you may need to make the change. Thanks for all of your help with this.

Best Regards,

Gavin Wright

Wright Masonry & Sons Inc. and

LGL Companies Inc. Email: gavinite@msn.com

Cell: 801-380-2830

RECEIVED

MAY 2 3 2011

DIV. OF OIL, GAS & MINING



4/28/2011

State of Utah School and Institutional Trust Lands Administration 675 East 500 South, Suite 500 Salt Lake City, UT 84102-2818

ATTN: John Blake

RE: Designation of Operator for SITLA Lease # 51832

Hello John,

Last year LGL Companies Inc. obtained a mineral lease from SITLA for some building limestone located on the W ½ of the NE ¼ of section 6, Township 2N, Range 20E, of the Salt Lake Meridian. A cultural resources survey was recently completed there, and we are currently in the process of obtaining permits from UDOT and DOGM to begin mining on the state road right of way that runs through our lease. While working on these permits, it became apparent that our sister company, Wright Masonry and Sons, is able to meet the bonding and insurance requirements faster, easier, and cheaper than LGL Companies. So in the interest of saving time and money, LGL Companies Inc. has chosen to designate Wright Masonry and Sons Inc as the operator of the mine. Please accept this letter as our "Designation of Operator" for ML # 51832.

For your records, the mailing address of Wright Masonry and Sons Inc is: PO Box 1246 Salem, UT 84653, and the physical address is: 10979 South Loafer Canyon Road, Elk Ridge, UT 84651. The office phone number is: 801-423-2363, and the fax number is: 801-423-2866.

Feel free to contact me with any questions that you may have.

Best Regards,

Gavin Wright

LGL Companies Inc. Email: gavinite@msn.com Cell: 801-380-2830 RECEIVED

MAY 2 3 2011

DIV. OF OIL, GAS & MINING

1.

This Section for DOGM Use: Assigned DOGM File	No.: S	1009	10006
DOGM Lead: Les	lie		
Permit Fee \$	Ck #		
	tast	4: 419	57

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

1594 West North Temple Suite 1210 Box 145801 Salt Lake City, Utah 84114-5801

Telephone: (801) 538-5291 Fax: (801) 359-3940

NOTICE OF INTENTION TO COMMENCE SMALL MINING OPERATIONS

The informational requirements of this form are based on provisions of the Mined Land Reclamation Act, Title 40-8, Utah Code Annotated 1987, and the General Rules as promulgated under the Utah Minerals Regulatory Program.

Note on confidentiality: Information provided in the notice of intention relating to the location, size, or nature of the mineral deposit that is clearly marked confidential will be protected as confidential. Each page or map requested to be kept confidential must be stamped or marked as such. The requested confidential information must describe how the confidential material relates to the location size or nature of the mineral deposit; provide a written claim of business confidentiality; and/or include a concise statement of reasons supporting the claim of business confidentiality, unless disclosing the location of explosives or historic, prehistoric, paleontological, or biological resource that must be considered confidential under statute.

"Small Mining Operations" mining operations which have a disturbed area of five or less surface acres at any time.

	Name of Mine: MANILA STONE QUARRY
	Legal name of entity (or individual) for whom the permit is being requested: WRIGHT MASONRY AND SONS INC.
	Mailing Address: P.O. Box 1246
	City State Zin: SALEM, UT 84653
	Phone: 301-423-2363 Fax: 801-423-2866
	E-mail Address: GAVINITE @ MSN. Com
	Type of Business: Corporation (X) LLC () Sole Proprietorship (dba) (Partnership () General or limited
	Or:
	Or: Individual ()
	Individual ()
	Individual () Entity must be registered (and maintain registration) with the State of Utah, Div of Corporations (DOC) www.commerce.utah.gov.
	Individual () Entity must be registered (and maintain registration) with the State of Utah, Div of Corporations (DOC) www.commerce.utah.gov .
	Individual () Entity must be registered (and maintain registration) with the State of Utah, Div of Corporations (DOC) www.commerce.utah.gov . Are you currently registered to do business in the State of Utah? GYes G No.
	Individual () Entity must be registered (and maintain registration) with the State of Utah, Divide of Corporations (DOC) www.commerce.utah.gov . Are you currently registered to do business in the State of Utah? Gives Gives Note that the State of Utah? Gives Gives Gives House the State of Utah? Gives G

RECEIVED

MAY 2 3 2011

3.	Contact Person(s)	
	Name: SAVIN WRIGHT Address: 10939 S. LOAFER CANYON	Title:
	Address: 10939 S. LOAFER CANYON	Rp.
	City, State, Zip: SALEM, UT 84653 Phone: 801 380 2830 Fax: 801	1.25 10 . 5
	Phone: 801 380 2830 Fax: 801	923 1205
	Emergency, Weekend, or Holiday Phone: 301 4	1565
	E-mail Address: (SAVINITE / 1957) CAM	,
Conta	tact person to be notified for: permitting (\checkmark) surety (\checkmark)	Notices (V) (please check all that
	Name: BRAD MARRAY Titl Address: 736 S. SOO W.	
	Name: DIAD / MURICA'S Tit	e:
	Address: 7365. > 00 W.	
	Phone: 435-790-7636 Fax: 435	-789-7729
	Emergency, Weekend, or Holiday Phone: 4/35 -	789-1691
	E-mail Address: CYNTHIA MURRAY 60 @ YA	HOO. Com
Cont	tact person to be notified for: permitting () surety () Notices (X) (please check all that
apply		
appi		
	Registered Utah Agent (as identified with the Utah D	Commerce) (if individual
		repartment of Commerce) (in managed
	leave blank):	
	Name:	
	Address:	
	City, State, Zip:	
	Phone: Fax:	
	E-mail Address:	
4.	If Business is a Sole Proprietor:	
	Name of Owner:	Title:
	Business Address:	
	City, State, Zip:	
	Phone: Fax:	
	E-mail Address:	
	If Business is a Corporation:	
	Name of Officers: GAVIN WRIGHT	Title: OFFICER
	LARRY WEIGHT	Title: PRESIDENT
	L.P. WRIGHT	Title: VICE - PRESIDENT
		Title:
	Headquarters Address: 109798. Loaffee Ca	nyin Re
	City State 7in: SALSIN UT 84653	
	Headquarters Phone: 801 423-2363	Fax: 801 423 - 2866
	E-mail Address: WRIGHT MASONRY AND SO	NS @MSN. COM
	L-IIIaii Addiess. PVAIEIT / 1230-13-13	
	M.D In	has Managad C. Managas Managad G
	If Business is a Limited Liability Company: Memi	ber Managed G. Manager Managed G
	Name of 1 st Member/Manager:	I itle:
	Business Address:	
	City. State. Zip:	
	Phone: Fax:	
	E-mail Address:	
	Name of 2 nd Member/Manager:	
	Business Address:	
	City, State, Zip:	
	Phone: Fax:	
	F-mail Address	

	If Business is a Partnership: Name of Partner:			
	Business Address:			
	City, State, Zip:Phone:			
	Phone:	Fax:		
	E-mail Address:			
5.	Ownership of Land Surface:			
	State Trust Land/School Section	ons (BLM) G National Forest (USFS) G ons (X State Sovereign Lands G		
	Name SITLA	Address 675 E. 500 S. Sore 500 SLE, UT		
		84102		
	Name	Address		
		Address		
		Address		
6.	Ownership of Minerals:			
	State Trust Land/School Secti	omain (BLM) G National Forest (USFS) G ions State Sovereign Lands G		
	Name_SITLA	Address 675 E. 500 S. Sum 500, SLC, UT 84107		
		Address		
	Name	Address		
	Name	Address		
	BLM Lease or Project File Nu	BLM Lease or Project File Number(s) and/or USFS assigned Project Number(s):		
	BLM Claim Numbers			
	Utah State Lease Number(s):	SITLA LEASE # 51832		
	Nama of Laccode BRAD A	LERAY & LEL CONPANIES INC.		
	Name of Lessee(s)	QT rest 1		
7.	Have the above surface and Yes			
	If no, why not?			
Mining a Explora Lands A	alone does not satisfy the notification or mining activity on State To Administration prior to commence Administration (SITLA) at (801) 5	ands are involved, notification to the Division of Oil, Gas and ation requirements of Mineral Leases upon State Trust Lands. Trust Lands requires a minimum of 60 days notice to the Trust and any activities. Please contact the School Institutional Trust 38-5508 for notification requirements.		
8.	Does the Entity have legal r	ight to enter and conduct mining operations on the land		

Form MR-SMO 09212009

II.	PROJECT LOCATION & MAP (Rule R647-3-105)	
1.	Project Location & Map (legal description):	
	County(ies): DAGGETT	
		1
	UTM East (if known) UTM North	(If
known)		
	Name of Quad Map for Location: Dutch John	
2.	Location and Operations maps must be plotted at a scale to accurately identify local landmarks and operations details. All maps must include a north arrow, scale, approp labels, and title box including the mine name, township, range and section. a. The general location map must be the scale of a USGS 7.5 minute series map or equivalent (1"=2000') and identify new or existing access roads. b. The operations map (1"=200' or other scale as determined necessary by the Divis must be labeled and identify: i. The area to be disturbed; ii. The location of any existing or proposed operations including access roads, despite the holes, trenches, pits, shafts, cuts, or other planned activities; and iii. Any adjacent previous disturbance for which the operator is not responsible. (Contact the Division for a list of consultants and land surveyors for mapping assistance.)	riate sion) Irill
3.	The proposed (5 acre or less) disturbed area (including access/haul roads) should be marked in the field ON THE GROUND with metal T-Posts (or with some other marker equal effectiveness). Markers should be appropriately spaced so that the next marker either direction is clearly visible with the naked eye.	
m.	OPERATION PLAN (Rule R647-3-106)	
1.	Type of mining: Surface Underground	
2.	Mineral(s) to be mined: DECORATIVE BUILDING LIMESTONE	
3.	Amount of material to be extracted, moved, or proposed to be moved: ABout ABout	_
4.	Will any water, liquid chemicals, reagents, or other solutions be used, produced of discharged as part of the mining or milling process? Yes No If yes, please describe (add extra pages if needed)	r

	DESCRIPTION OF OPPREATION FLAN.		
6.	New Road(s): Length 400 (ft) Width 14 (ft)		
7. o exist	Improved Road(s): Provide a description of the improvements that need to be made ting roads to access the site, including the Length (ft) and Width (ft)		
	disturbances.		
	None		
8.	Total project surface acreage to be disturbed: 3.0 (acres) PLEASE SPECIFY EXACT		
0.	ACREAGE - (this will be used to determine surety bond amount – see #VI).		
9.	Proposed startup date (month, year) FEB, 2011		
10.	Proposed completion date, if known (month, year)		
V.	OPERATION AND RECLAMATION PRACTICES (RIIIR R04/-3-10/, 100 & 103)		
	OPERATION AND RECLAMATION PRACTICES (Rule R647-3-107, 108 & 109)		
o publ premin Operat	The reclamation and operation obligation is to keep the area clean and safe, minimize hazards ic safety, return the land to a useful condition, and reestablish at least 70 percent of the sing vegetative ground cover or within practical limits. To accomplish this, the Permittee / tor will need to perform reclamation concurrently, or at the completion (within one (1) year) of . Please refer to https://doi.org/10.1001/jha.nih.gov/pub/MINES/Coal_Related/RecMan/Reclamation_Manual.pdf .		
o publ premin Operat	The reclamation and operation obligation is to keep the area clean and safe, minimize hazards ic safety, return the land to a useful condition, and reestablish at least 70 percent of the ing vegetative ground cover or within practical limits. To accomplish this, the Permittee / tor will need to perform reclamation concurrently, or at the completion (within one (1) year) of . Please refer to The Practical Guide to Reclamation in Utah, available at		
o publ premin Operat mining https://	The reclamation and operation obligation is to keep the area clean and safe, minimize hazards ic safety, return the land to a useful condition, and reestablish at least 70 percent of the ing vegetative ground cover or within practical limits. To accomplish this, the Permittee / tor will need to perform reclamation concurrently, or at the completion (within one (1) year) of . Please refer to <a 10.1001="" doi.org="" href="https://doi.org/10.1001/j.need/need/need/need/need/need/need/need</td></tr><tr><td>o publipremin
Operation
mining
https://</td><td>The reclamation and operation obligation is to keep the area clean and safe, minimize hazards ic safety, return the land to a useful condition, and reestablish at least 70 percent of the ling vegetative ground cover or within practical limits. To accomplish this, the Permittee / tor will need to perform reclamation concurrently, or at the completion (within one (1) year) of . Please refer to <a href=" https:="" j.need="" need="" need<="" td="">		
o publico premin Operation in the control of the co	The reclamation and operation obligation is to keep the area clean and safe, minimize hazards ic safety, return the land to a useful condition, and reestablish at least 70 percent of the sing vegetative ground cover or within practical limits. To accomplish this, the Permittee / tor will need to perform reclamation concurrently, or at the completion (within one (1) year) of . Please refer to The Practical Guide to Reclamation in Utah , available at fs.ogm.utah.gov/pub/MINES/Coal_Related/RecMan/Reclamation_Manual.pdf. Keep the mining operation in a safe, clean, and environmentally stable condition. Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged		
to publipremin Operation of the control of the cont	The reclamation and operation obligation is to keep the area clean and safe, minimize hazards ic safety, return the land to a useful condition, and reestablish at least 70 percent of the ing vegetative ground cover or within practical limits. To accomplish this, the Permittee / for will need to perform reclamation concurrently, or at the completion (within one (1) year) of Please refer to The Practical Guide to Reclamation in Utah, available at fis.ogm.utah.gov/pub/MINES/Coal_Related/RecMan/Reclamation_Manual.pdf. Keep the mining operation in a safe, clean, and environmentally stable condition. Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged in the subsurface to prevent aquifer contamination.		
o public premin Operation in the control of the con	The reclamation and operation obligation is to keep the area clean and safe, minimize hazards ic safety, return the land to a useful condition, and reestablish at least 70 percent of the ing vegetative ground cover or within practical limits. To accomplish this, the Permittee / for will need to perform reclamation concurrently, or at the completion (within one (1) year) of Please refer to The Practical Guide to Reclamation in Utah, available at fis.ogm.utah.gov/pub/MINES/Coal_Related/RecMan/Reclamation_Manual.pdf. Keep the mining operation in a safe, clean, and environmentally stable condition. Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged in the subsurface to prevent aquifer contamination. Construct berms, fences, or barriers, when needed, above highwalls and excavations. Remove, isolate, or neutralize all toxic materials in a manner compatible with federal and state		
o publipremin Operation of the control of the contr	The reclamation and operation obligation is to keep the area clean and safe, minimize hazards ic safety, return the land to a useful condition, and reestablish at least 70 percent of the sing vegetative ground cover or within practical limits. To accomplish this, the Permittee / tor will need to perform reclamation concurrently, or at the completion (within one (1) year) of . Please refer to The Practical Guide to Reclamation in Utah , available at fs.ogm.utah.gov/pub/MINES/Coal_Related/RecMan/Reclamation_Manual.pdf. Keep the mining operation in a safe, clean, and environmentally stable condition. Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged in the subsurface to prevent aquifer contamination. Construct berms, fences, or barriers, when needed, above highwalls and excavations. Remove, isolate, or neutralize all toxic materials in a manner compatible with federal and state regulations.		
to publipremin Operations of the control of the con	The reclamation and operation obligation is to keep the area clean and safe, minimize hazards ic safety, return the land to a useful condition, and reestablish at least 70 percent of the ling vegetative ground cover or within practical limits. To accomplish this, the Permittee / for will need to perform reclamation concurrently, or at the completion (within one (1) year) of please refer to The Practical Guide to Reclamation in Utah, available at Ifs.ogm.utah.gov/pub/MINES/Coal_Related/RecMan/Reclamation_Manual.pdf. Keep the mining operation in a safe, clean, and environmentally stable condition. Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged in the subsurface to prevent aquifer contamination. Construct berms, fences, or barriers, when needed, above highwalls and excavations. Remove, isolate, or neutralize all toxic materials in a manner compatible with federal and state regulations. Remove all waste or debris from stream channels.		
to publipremin Operation of the control of the cont	The reclamation and operation obligation is to keep the area clean and safe, minimize hazards ic safety, return the land to a useful condition, and reestablish at least 70 percent of the ing vegetative ground cover or within practical limits. To accomplish this, the Permittee / tor will need to perform reclamation concurrently, or at the completion (within one (1) year) of . Please refer to The Practical Guide to Reclamation in Utah , available at fas.ogm.utah.gov/pub/MINES/Coal_Related/RecMan/Reclamation_Manual.pdf. Keep the mining operation in a safe, clean, and environmentally stable condition. Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged in the subsurface to prevent aquifer contamination. Construct berms, fences, or barriers, when needed, above highwalls and excavations. Remove, isolate, or neutralize all toxic materials in a manner compatible with federal and state regulations. Remove all waste or debris from stream channels. Dispose of any trash, scrap metal, wood, machinery, and buildings.		

- 11. Stabilize highwalls by backfilling or rounding to 45 degrees or less, where feasible; reshape the land to near its original contour, and redistribute the topsoil and suitable overburden.
- Properly prepare seedbed to a depth of six inches by pocking, ripping, discing, or harrowing. Leave the surface rough.
- 13. Reseed disturbed areas with adaptable species. (The Division recommends a mixture of species of grass, forb, and browse seed, and will provide a specific species list if requested.)
- Plant the seed with a rangeland or farm drill, or broadcast the seed. Fall is the preferred time to seed.

V. VARIANCE REQUEST (Rule R647-3-110)

Any planned deviations from Pules P647-3-107 Operation Practices F

Any planned deviations from Rules R647-3-107, Operation Practices, R647-3-108, Hole Plugging Requirements, or R647-3-109, Reclamation Practices, as summarized above (see IV. Operation and Reclamation Practices Item # 1-14), should be identified below listing applicable rule number. Give justification for the variance(s) and alternate methods or measure to be utilized. Written approval from the Division will be given, if the proposed alternative methods to be used are consistent with the Act.

//	12647-3-109
Item# Justification:	Applicable Rule # (i.e. R647-3-109.10 (if you did not want trenches & pits reclaimed) EXISTING ROAD CUT IN ROCK IS ABOUT 90° (SEE PHOTOS A ? B
Alternate metho	ods or measure to be utilized: NEW KOAP CUT / HIGH WALL WILL
2 nd Variance Re	equested
12-14	R647-3-109
Item# Justification:	Applicable Rule # 100T MAY NOT WANT RIGHT OF WAY PLANTED
Altamata math	ods or measure to be utilized: IF THE DOT DORS NOT
Alternate metho	
WANT THE	RIGHT OF WAY PLANTED WE WILL LEAVE IT GRAVE
WANT THE 3rd Variance Re	QUESTED WAY PLANTED WE WILL LEAVE IT GRAVE
WANT THE	
WANT THR	quested

VI. SURETY (Utah Code Ann. §40-8-7(1)[c])

A reclamation contract and surety must be provided to and approved by the Division prior to commencement of operations. No surface disturbance is authorized until the surety is posted and approved in writing. The surety may be provided in the form of a certificate of deposit, a letter of credit, a surety bond, or cash. Please contact the Division for further information about submitting the surety. All mining operations are required to furnish and maintain reclamation surety to guarantee that the land affected is reclaimed (Utah Code Ann. §40-8-7(1)[c]).

Form MR-SMO 09212009 The reclamation surety amount is based on the nature, extent and duration of operations. The amounts are based on data from current large mine surety and are used as a general guide, along with actual site conditions. Reclamation surety for small mines is reviewed every three (3) or five (5) years and adjusted as necessary for inflation/deflation based upon acceptable Costs Index. Contact the Division for the dollar amount required for a three (3) or five (5) year period for this project.

VII. PERMIT FEE (Utah Code Ann. §40-8-7(1)(i))

A permittee's authorization under a notice of intention to conduct small mining operations shall require the paying of permit fees as authorized by the Utah Legislature (R647-3-102.5). Permit fees are assessed to <u>new</u> and <u>existing</u> small mining operations, and annually thereafter, until the project disturbances are successfully reclaimed by the Permittee / Operator and released by the Division.

Small Mine Notices require a \$150.00 fee, which must accompany this application, or the Division cannot process it.

VIII. SIGNATURE REQUIREMENT


CERTIFICATION

I state under penalty of perjury under the laws of the state of Utah and the United States of America that:


- a. I have read this form and declare the information, statements and/or documentation are true, correct and complete to the best of my knowledge and belief; AND
- b. I commit to the reclamation of the aforementioned small mining project as required by the Utah Mined Land Reclamation Act (40-8) and the rules as specified by the Board of Oil, Gas and Mining.
- c. This certification must be signed by: (1.) an executive officer if the applicant is a corporation; (2.) a partner if applicant is a partnership (general or limited); (3.) the owner if applicant is a sole proprietorship; or (4.) the member or manager if applicant is a limited liability company.

Signature:		5-19-2011
Name (typed or printed):	WRIGHT	
Title/Position (if applicable): OFFICE	IR, WRIGHT MASONRY	3 Sons Inc
O:\FORMS\Notices\Final\smo_09212009 doc		

Location Map



Operation Plan



Description of Operation

Most of our initial work is expected to take place on the state road right of way, on which we plan to remove material from the existing road cut, working our way east, and extending the road cut back toward the fence. We have been in contact with some people from UDOT, and they seem to like that idea because there is a lot of falling rock on that road cut that they often have to clean up. Just east of the state road right of way, and adjacent to an irrigation water line there is a strip of previously disturbed ground that we plan to level off and incorporate into our access, processing, and storage area. This area will be used to process, store, and ship our materials, as well as provide access to our planned mining area. Here we will set up a rock guillotine, a pallet scale, and a portable office. After the rock has been mined by the use of a track hoe, it will be transported by means of a loader to the processing area. Here the rock will be chopped to the desired size, stacked on pallets, weighed, recorded and stored until shipment.

Photos

Photo A: Existing road cut, looking north along Highway 44.



Photo C: View of previously disturbed land, looking northeast from fence line.



Photo B: Existing road cut, looking east across Highway 44.





Photo D: Previously disturbed land, looking southwest toward Highway 44.



Satellite Image SITLA Lease # 51832

